## Markets Gateway Enhancements Poll - November 2016 Demographic Information \* Name \* Phone \* Email \* Company

## **Markets Gateway Enhancements Poll - November 2016**

| As communicated at the PJM Tech Change Forum, PJM is requesting assistance from Markets Gateway users to prioritize future tool enhancements. The enhancement list was developed from PJM users and member feedback. |
|--|
| Please complete the following survey to rank the requested enhancements according to the importance to you. Your input will allow PJM to focus on the items that members find most valuable.                         |
| Please rank every item in the list. A ranking of one will indicate your highest priority while a ranking of five will indicate that the requested enhancement is of the least value to you.                          |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |

## Markets Gateway Enhancements Poll - November 2016

## Markets Gateway Poll

**Markets Gateway Enhancements** 

| Title                       | Page                               | Defect/Enhancement   | Detailed Description  |
|-----------------------------|------------------------------------|--|---|
| Turn-Down Ratio Error       | Generator Unit Detail              | Turn-Down Ratio Error Handling - Error message needed  | In the calculation of turn-down ratio, there is a possibility that one of the values may be 0. If that happens there is not a meaningful error message returned to the participant.  Requested enhancement - add a check for 0 and improve the error message.   |
| Copy and Paste              | Demand Response                    | Missing Copy and Paste Functionality In<br>Demand Response Hourly Updates  | There is currently no capability to right-click and perform copy and paste in the Demand Response Hourly Updates screen.  Requested enhancement - add copy and paste functionality in the Demand Response Hourly Update Screen.   |
| Opportunity Cost Calculator | Opportunity Cost<br>Calculator     | Miscellaneous Opportunity Cost<br>Calculator user interface enhancements   | Multiple minor changes to the screen such as decimals being included and the save button being enabled earlier in the calculation steps.  Requested enhancement - improve the usability of the calculator   |
| Unlimited Pnodes            | API                                | API download unlimited pnodes  | In eMKT API users were able to download unlimited pnodes. In Markets Gateway API the view is limited to 500 pnodes.  Requested enhancement - Allow Markets Gateway API to download an unlimited amount of pnodes.   |
| 24 hour viewing             | Energy Results -<br>Binding Limits | Need ability to view all shadow prices for all hours and the constraint contingency name without needing to scroll | We view the DA constraints on the Market Results Energy\Binding Limits Page. When scrolling to the right to view past HE16, the constraint and contingency names are no longer viewable. In eMKT the hours were displayed 1-12 in on row and 13-24 in a second row. Requested enhancement - Allow viewing of the constraint and contingency names along with all 24 hours without the need to scroll. |

| Copy and Paste  Copyramity Cost Calculator  Unlimited Prodes  24 Hour Viewing  o you have additional comments or suggestions with regard to the Markets Gateway application? | <b>\$</b> | Turn-Down Ratio Error       |
|--|-----------|-----------------------------|
| ♣ Unlimited Pnodes ♣ 24 Hour Viewing   | <b>\$</b> | Copy and Paste              |
| 24 Hour Viewing  | <b>\$</b> | Opportunity Cost Calculator |
|  | \$        | Unlimited Pnodes            |
| you have additional comments or suggestions with regard to the Markets Gateway application?  | <b>\$</b> | 24 Hour Viewing             |
|  |           |                             |
|  |           |                             |
|  |           |                             |
|  |           |                             |